



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

and that  $v$  and  $a$  can be varied at pleasure, the projectile can in general be made to traverse any two given points in the same vertical plane with the point of projection. [Ex. 83, page 244, Deschanel's *Natural Philosophy*, Part I.]

\*\*\* Solutions of these problems should be sent to B. F. Finkel not later than May 10.

---

### MISCELLANEOUS.

---

75. Proposed by J. C. NAGLE, Professor of Civil Engineering, Agricultural and Mechanical College, College Station, Texas.

The water tank at the Nacogdoches River on the H. E. & W. T. Ry. is filled by a 3-inch pipe from a reservoir in which the water level is 6 feet above water in tank when full. The top diameter of tank is 17 feet, the bottom diameter is 19 feet, 8 inches, and the pipe projects 10 inches through the bottom. The depth is 13 feet, 6 inches. Find the time required to fill tank, taking the pipe as clean and free from sharp bends, except the right-angled one directly under tank. This bend is 12 feet below outlet of pipe, so that the total length of pipe is 1972 feet. Compare the result with the time of filling if the inlet pipe projected over top of tank instead of entering at the bottom.

76. Proposed by WILLIAM HOOVER, A. M., Ph. D., Professor of Mathematics and Astronomy, Ohio State University, Athens, Ohio.

Show that

$$\log[x-a-b\sqrt{-1}]=\frac{1}{2}\log[(x-a)^2+b^2]-\sqrt{-1}\tan^{-1}\frac{b}{x-a},$$

Naperian logarithms being used.

\*\*\* Solutions of these problems should be sent to J. M. Colaw not later than May 10.

---

### EDITORIALS.

---

Contributors are requested to send in select problems for the Departments of Arithmetic, Mechanics, and Average and Probability.

The *Annals of Mathematics*, published for the past fifteen years at the University of Virginia, is to be transferred to Harvard University with the close of the present volume.

Mathematics and the mathematical world have sustained a great loss in the death of Prof. Sophus Lie, which occurred at Christiania, Monday, February 18. He was Professor of Geometry at the University of Leipzig from 1886 to 1898, and at the time of his death was Professor of Mathematics at the University of Christiania. We hope to be able to give a biographical sketch of Professor Lie in a future issue of the MONTHLY.

Cornell University announces a Course of Instruction during the Summer, session to be held July 5 to August 16. The following courses in Advanced Mathematics are offered: Advanced Integral Calculus, Prof. Wait; Differential Equations, Dr. Murray; Projective Geometry, Prof. Wait; Theory of Functions of a Complex Variable, Dr. G. A. Miller; Theory of Groups of a Finite Order, Dr. G. A. Miller; Theory of Numbers, Dr. G. A. Miller.